

**A.V.Samoilenko,
M.V.Pomoynskaya**

State institution
“Dnipropetrovsk Medical Academy of the Healthcare Ministry of Ukraine”

Key words: adhesive systems with different solvents, moisture, caries cavity, dentin, penetration sealing

Received: 12.10.2012

Accepted: 14.11.2012

UDC. 616.314.14-039-002.4

STRUCTURAL AND MORPHOLOGICAL CHARACTERISTICS OF THE ZONE OF HYBRIDIZATION UNDER DIFFERENT MOISTURE OF THE DENTIN OF THE CARIES CAVITIES

The study was conducted as a part of research work “Development and introduction of new methods of diagnosis, treatment and prevention of dental caries and its complications, diseases of periodontium and oral mucosa”, (state registration 0110U003018).

Summary. The aim of the study was to investigate the hermetic seal of fit and ultrastructure of the hybrid layer using adhesive systems with different solvents. At 108 extracted teeth examined quality of fit of the seal and microstructure of interaction of adhesive and hard tissues of the tooth dentin with varying humidity and, depending on the type of solvent adhesive systems. Found that the need for a differentiated approach to the choice of the parameter humidity dentin cavity at a choice of different adhesive systems. And evaluation of regional penetration of the dye on the boundary of the "tooth-filling" and the study of the architectonics of adhesive bonds at the microstructural level, showed that 19.7% of the most moisture is indicated for use of adhesive systems with an aqueous solvent, 20.0% - from ethanol and 20.3% - with acetone solvent. Derivations approach to dentin moisture creates optimal conditions for inside of the dentin adhesive penetration and the formation of hermeticism, which further improves the durability of the functioning of the seal.

Citation: Samoilenko AV, Pomoynskaya MV. [Structural and morphological characteristics of the zone of hybridization under different moisture of the dentin of the caries cavities]. *Morphologia*. 2012;6(4):71-5. Russian.

© **Samoilenko A.V., Pomoynskaya M.V., 2012**





Fig. 1. Examples of the deep dye penetration (A) and superficial dye penetration (Б) in the filled teeth. $\times 6$.




Fig. 2. The incidence (in %) of dye penetration in 19,7% humidity of the dentin in the cavity.




Fig. 3. The incidence (in %) of dye penetration in 20,0% humidity of the dentin in the cavity.




Fig. 4. The incidence (in %) of dye penetration in 20,3% humidity of the dentin in the cavity.





Fig. 5. Character of the connection between the adhesive system and the cavity dentin with the humidity of 19,7% (A) and 20,3% (B). $\times 200$.




Fig. 6. . Character of the connection between the adhesive system and the cavity dentin with the humidity of 20,0%. $\times 200$.

References:

- Blunk U. [The adhesive systems: a review and comparison]. DentArt. 2003;(3):25-30. Russian.
- Borisenko AV. Karies zubov [Dental caries]. Kyiv: Knyha plus; 2005. 343 p. Ukrainian.
- Borovskiy YeV. Terapevticheskaya stomatologiya: izbranniye pazdely [Therapeutic dentistry: Selected topics]. Moscow: 'Stomatologiya' Inc; 2005. 59-85 p. Russian.
- Kliomin VA, Borisenko AV, Ischenko PV. Robota iz suchasnymy restavratsiynymy materialamy: navchalniy posibnyk dlya studentiv ta likariv-stomatologiv [Working with modern restorative materials: study guide for students and dentists]. Vinnytsa, Ukraine: Nova knyha; 2009. 152 p. Ukrainian.
- Kruglik OA. [The influence of morphological features of the teeth with high erasure on the formation of the hybrid layer]. Meditsinskiy zhurnal. 2008;(2):40-3. Russian.
- Nikolayev AI, Tsepov LM. Prakticheskaya terapevticheskaya stomatologiya [Practical therapeutic dentistry]. 9th ed.rev. and enl. Moscow: MEDpress-inform; 2010. 928 p. Russian.
- Nikolishin AK. Vosstanovleniye (restavratsiya) i plombirovaniye zubov sovremennymi materialami i tekhnologiyami [Restoration and filling of teeth with modern materials and technologies]. Poltava, Ukraine; 2001. 176 p. Russian.
- Radlinskaya VN, Radlinskiy SV. Sovremenniye tekhnologii restavratsii zubov:

metodicheskoye posobiye [Modern technology of tooth restoration: a guide]. Poltava, Ukraine; 2002. 59 p. Russian.

Schmidseder J. [Color Atlas of Dental Medicine: Aesthetic Dentistry]. Kovalenko A, translator; Vinogradova TF, editor. Moscow: MEDpress-inform; 2004. 320 p. Russian.

Salova AV, Rekhacheva VM, editors. Ekspres-entsiklopediya plombirovochnykh materialov [Express encyclopedia of filling materials]. Saint Petersburg: Chelovek; 2005. 144 p. Russian.

Pashley DH, Tay FR, Carvalho RM, Rueggeberg FA, Agee KA, Carrilho M, Donnelly A, García-Godoy F. From dry bonding to water-wet bonding to ethanol-wet bonding. A review of the interactions between dentin matrix and solvated resins using a macromodel of the hybrid layer. *Am J Dent.* 2007 Feb;20(1):7-20.

From dry bonding to water-wet bonding to ethanol-wet bonding. A review of the interactions between dentin matrix and solvated resins using a macromodel of the hybrid layer / D. H. Pashley, F.R. Tay, R. M. Charvalho [et al.] // *Am. J. Dent.* - 2007. – Vol. 20, № 1. – P. 7-20. Cited in: PubMed; PMID: 17380802.