

S.S.Klyuchko

Zaporizhzhia State
Medical University

Key words: stomach,
immunohistochemistry,
CD3 antigen, CD79 α
antigen.

Received: 20.02.2014
Accepted: 12.03.2014

UDC 611.33.08: 612.017

THE IMMUNOHISTOCHEMICAL ANALYSIS OF THE DISTRIBUTION OF DIFFERENT LYMPHOCYTE POPULATIONS IN THE STRUCTURES OF THE RAT STOMACH AFTER INTRAUTERINE ADMINISTRATION OF THE ANTIGEN

The study was performed as a part of research work "Morphological and functional features of the mucous membranes and internal organs in human and animals in norm and after antigen administration" (state registration number 0103U00939).

ABSTRACT. Background. The influence of the antigen on a fetus becomes very actual topic in last 10 years. This fact is closely associated with the stimulation of immune reactions in fetus and neonatal. It is known that the delivery of antigens into the body of the fetus causes premature T-lymphocytes exit from the thymus and their migration to various organs. As a result in these organs the terms and temps of main structural components development vary. **Objective.** To study the dynamics of the distribution of different lymphocyte populations in the stomach wall in the postnatal period after an intrauterine administration of the antigen **Methods.** Rat's stomach at normal condition and after the intrauterine administration of the antigen on the 21st, 45th and 90th days of life were investigated. Immunohistochemistry, morphometric and statistical methods were used. **Results.** After the intrauterine antigen administration the content of CD3⁺-lymphocytes in the stomach was significantly higher, than the content of CD79 α ⁺-lymphocytes. The greatest number of CD3⁺ and CD79 α ⁺-lymphocytes is observed over and under the muscularis mucosae of the stomach. In the perivascular spaces the accumulations of lymphocytes are formed; in later age periods they give rise to the perivascular lymphoid nodules. The dynamics of CD3⁺ and CD79 α ⁺-lymphocytes content changes during the intrauterine antigen administration. **Conclusion.** In response to the intrauterine administration of the antigen there is an increase in the number of CD3⁺ and CD79 α ⁺-lymphocytes. The immune response of B-cell chain is more intensive and expressed.

© S.S.Klyuchko, 2014

✉ kluchko_sv@mail.ru

Citation:

Klyuchko SS. [The immunohistochemical analysis of the distribution of different lymphocyte populations in the structures of the rat stomach after intrauterine administration of the antigen]. Morphologia. 2014;8(1):46-52. Russian.




Fig. 2. CD3⁺ lymphocytes of intraepithelial localization. 45th day of life, experimental group. ×100.




Fig. 4. CD3⁺ lymphocytes, localized perivascularly in gastric tela submucosa. 90th day of life, experimental group. ×100.




Рис. 5. CD79 α + lymphocytes, localized between gastric glands. 45th day of life, experimental group. $\times 100$.

References:

1. Karzov MV, Scherbakov MS, Medvedev AYe, Popravko MI. [Features of organ morphogenesis depending on the pathways of antigens into the fetus]. In: [Topical issues of medicine and biology: collection of articles]. Dnipropetrovsk; 1996. p. 135. Russian.
2. Voloshin MA, Kusch OG. [Lymphoid and vascular components as factors of morphogenesis]. Halytskyi likarskyi visnyk. 2003;10(2):45-8. Ukrainian.
3. Yevtushenko VM, Syrtsov VK. [Reactive features of lymphoid population in prostatic connective tissue after antigen exposure]. Zaporozhskiy meditsynskiy zhurnal. 2004;(4):114-5. Russian.
4. Guseinova ST, Guseinov TS. [Immunological aspects of gastrointestinal tract]. Uspekhi sovremennogo yestestvoznaniya. 2008;(5):76-8. Russian.
5. Denisov NL, Ivashkin VT, Lobzin YuV, Golofeyevsky VYu. [Chronic gastritis from positions of interaction of immune, contagious and morphological factors]. Russian journal of gastroenterology, hepatology, coloproctology. 2008;18(6):22-27. Russian.
6. Bilash SM. [Characteristics of diffuse lymphoid tissue cellular composition in the gastric mucosa of pyloric department at the introduction of preparation 'Platex Placental' on the background of acute experimental gastritis]. Zagalna patologiia ta patologiczna fiziologiia. 2012;(4):60-3. Ukrainian.

7. Dabbs DJ. Diagnostic immunohistochemistry. 4th ed. Elsevier; 2006. Chapter 19, Immunohistology of the breast; p. 699-745.

8. Barantseva IB, Naikhin AN, Donina SA, Stepanova LA, Rekstin AR, Grigoryeva EP, Desheva YuA, Rudenko LG. [The humoral and local immune response to influenza vaccine in the elderly and young]. *Voprosy Virusologii*. 2003;48(2):32-6. Russian.