

O.O.Yakovets

State institution
“Dnipropetrovsk
medical academy of the
Ministry of Health of
Ukraine”

Key words: heart,
human,
immunohistochemistry.

Received: 14.08.2014
Accepted: 11.09.2014

UDC: 618.29=611.013:616.125:611.13-037

VASCULAR-TISSUE INTERRELATIONS IN THE WALL OF THE LEFT ATRIUM OF HUMAN FETUS

The study was performed as a part of research work “Development and formation of organs and tissues of experimental animals and human during ontogenesis in norm and under the influence of external factors” (state registration number 0112U002124).

ABSTRACT. Background. Heart diseases are characterized by increased incidence and insufficient knowledge of the mechanism of their development. **Objective.** The aim of the work was to study the morphological features of the interrelations of arterial, venous and lymphatic coronal vessels with tissue and cellular elements in the wall of the left atrium of human fetuses. **Methods.** Hearts of human fetuses from 20th to 32th week of prenatal development in the number 20 were investigated. The sections were processed with primary monoclonal antibodies Ki-67, Prox-1. For the identification of the immunocytochemical reaction chromogen diaminobenzidine tetrachloride 3 solution was applied; positive reaction was detected by the rich brown coloring of specific cells. **Results and conclusion.** The wall of the atria in human fetuses has all the hallmarks of the definitive structure with areas with different degrees of proliferative activity of cellular elements, relative determinism of intramural vascular bed. The proliferative activity of the cellular elements of the atria in fetuses has topological features with excessive level of proliferative activity in subendocardial and middle layers of the myocardium and a low degree in the subepicardial layer of the myocardium. In the fetal period all the elements of the morphological differentiation of vascular elements are present in the wall of the atria, it is confirmed by histological and molecular markers.

© O.O.Yakovets, 2014
✉ yalenka@i.ua

Citation:

Yakovets OO. [Vascular-tissue interrelations in the wall of the left atrium of human fetus]. *Morphologia*. 2014;8(3):76-81. Ukrainian.




Fig. 1. Left atrium wall of human fetus aged 20 weeks. Hematoxylin&Eosin staining. x200.




Fig. 2. Left atrium wall of human fetus aged 22 weeks. Hematoxylin&Eosin staining. x200.




Fig. 3. Left atrium wall of human fetus aged 22 weeks. Immunohistochemical reaction with Ki-67 marker. x200.




Fig. 4. Left atrium wall of human fetus aged 28 weeks. Hematoxylin&Eosin staining. x200.




Fig. 5. Left atrium wall of human fetus aged 32 weeks. Immunohistochemical reaction with Ki-67 marker. x200.




Fig. 6. Left atrium wall of human fetus aged 20 weeks. Immunohistochemical reaction with Prox-1 marker. x400. Arrows indicate Prox-1-positive endothelial cells.




Fig. 7. Left atrium wall of human fetus aged 20 weeks. Immunohistochemical reaction with Prox-1 marker. $\times 400$.

References:

1. Chang CP, Bruneau BG. Epigenetics and cardiovascular development. *Annu Rev Physiol.* 2012;74:41-68. doi: 10.1146/annurev-physiol-020911-153242. PMID: 22035349.
2. Francois M, Koopman P, Beltrame M. SoxF genes: Key players in the development of the cardiovascular system. *Int J Biochem Cell Biol.* 2010 Mar;42(3):445-8. doi: 10.1016/j.biocel.2009.08.017. PMID: 19733255.
3. Leri A, Hosoda T, Kajstura J, Anversa P, Rota M. Identification of a coronary stem cell in the human heart. *J Mol Med (Berl).* Oct 2011;89(10):947-59. doi: 10.1007/s00109-011-0769-8. PMCID: PMC3171564.
4. Bearzi C, Leri A, Lo Monaco F, Rota M, Gonzalez A, Hosoda T, Pepe M, Qanud K, Ojaimi C, Bardelli S, D'Amario D, D'Alessandro DA, Michler RE, Dimmeler S, Zeiher AM, Urbanek K, Hintze TH, Kajstura J, Anversa P. Identification of a coronary vascular progenitor cell in the human heart. *Proc Natl Acad Sci U S A.* 2009 Sep 15;106(37):15885-90. doi: 10.1073/pnas.0907622106. PMID: 19717420; PMCID: PMC2747213.

5. Cui C, Filla MB, Jones EAV, Lansford R, Chevront T, Roubaie S, Rongish BJ, Little CD, Xiong JW. Embryogenesis of the first circulating endothelial cells. *PLoS One*. 2013;8(5):694-699.
6. Kuhn EN, Wu SM. Origin of cardiac progenitor cells in the developing and postnatal heart. *J Cell Physiol*. 2010 Nov;225(2):321-5. doi: 10.1002/jcp.22281. PMID: 20568226; PMCID: PMC3620291.
7. Olivey HE, Svensson EC. Epicardial-myocardial signaling directing coronary vasculogenesis. *Circ Res*. 2010 Mar 19;106(5):818-32. doi: 10.1161/CIRCRESAHA.109.209197. PMID: 20299672; PMCID: PMC2843003.
8. Harris IS, Black BL. Development of the endocardium. *Pediatr Cardiol*. 2010 Apr;31(3):391-9. doi: 10.1007/s00246-010-9642-8. PMID: 20135106; PMCID: PMC2836465.
9. Alitalo K, Tammela T, Petrova TV. Lymphangiogenesis in development and human disease. *Nature*. 2005 Dec 15;438(7070):946-53. PMID: 16355212.
10. Wajesky MW. Development of coronary vessels. *Current Topics in Developmental Biology*. 2004;62:225-59.
11. Srinivasan RS, Oliver G. Prox1 dosage controls the number of lymphatic endothelial cell progenitors and the formation of the lymphovenous valves. *Genes Dev*. 2011 Oct 15;25(20):2187-97. doi: 10.1101/gad.16974811. PMID: 22012621; PMCID: PMC3205588.
12. Pototskaya OYu. [Histogenesis of epicardium and coronary vessels endothelium of chick embryo on early stages of prenatal ontogenesis at normal conditions and during liver bud ablation]. *Morphologia*. 2011;5(4):50-5. Ukrainian.
13. Rosenthal N, Harvey R. Heart development and regeneration. Hardbound; 2010. 978 p.
14. Gorelova NI. [The characteristic of histogenetic processes in the human heart during early cardiogenesis]. *Morphologia*. 2007;1(1):59-62. Ukrainian.
15. Antipov VN. [The peculiarities of vascular-capillary bed formation of the cardiac conduction system in pre- and early postnatal ontogenesis]. *Morphologia*. 2009;3(3):32-6. Russian.
16. Mashtalir MA, Tverdokhleb IV. [Histochemical, lectin histochemical and immunohistochemical methods in embryological heart researches]. *Morphologia*. 2010;4(2):39-44. Russian.