

**K.S.Volkov**  
**S.B.Kramar**

I.Ya.Horbachevsky  
Ternopil State Medical  
University

**Key words:** skin,  
wound healing,  
mechanisms, epithelial  
to mesenchymal  
transition.

*Received: 22.05.2015*

*Accepted: 12.06.2015*

UDC 616-001.4

## **ROLE OF EPITHELIAL-MESENCHYMAL TRANSITION IN THE PATHOGENESIS OF DERMAL WOUND HEALING**

**ABSTRACT. Background.** Investigation of mechanisms of wound healing remains relevant. It remains unknown the role of epithelial to mesenchymal transition in the regeneration. Epithelial to mesenchymal transition is a fundamental process, that leads epithelial cells to lose their polarization and specialized junctional structures, to undergo cytoskeleton reorganization, and to acquire morphological and functional features of mesenchymal-like cells. Epithelial to mesenchymal transition has been originally described in embryonic development, regeneration and several pathophysiological conditions. **Objective** is to investigate the role of epithelial to mesenchymal transition in wound healing. **Results.** The key points in the implementation mechanisms of epithelial to mesenchymal transition are described. The initiating role of growth factors and signaling pathways, participates in the development of epithelial to mesenchymal transition, are indicated. The comparative characteristic of incomplete epithelial to mesenchymal transition in the wound healing and completed epithelial to mesenchymal transition during pathological processes are given. Such kinds of epithelial to mesenchymal transition as endothelial-mesenchymal transition and back-mesenchymal to epithelial transition and their role in the wound healing process are enlightened. **Conclusion.** Epithelial to mesenchymal transition is a fundamental mechanism of histogenesis and tissue regeneration. Understanding the epithelial to mesenchymal transition and the factors involved in will help to create a theoretical framework for the development of new approaches to rational therapy of wound healing.

© K.S.Volkov, S.B.Kramar, 2015

### **Citation:**

Volkov KS, Kramar SB. [Role of epithelial-mesenchymal transition in the pathogenesis of dermal wound healing]. *Morphologia*. 2015;9(2):7-10. Russian.

## *References:*

1. Lamouille S, Xu J, Derynck R. Molecular mechanisms of epithelial–mesenchymal transition. *Nature Reviews Molecular Cell Biology*. 2014;15:178-96.
2. Huang RY, Guilford P, Thiery JP. Early events in cell adhesion and polarity during epithelial-mesenchymal transition. *J Cell Sci*. 2012;125:4417-22.
3. Nakaya Y, Sheng G. EMT in developmental morphogenesis. *Cancer Lett*. 2013;341(1):9-15.
4. Jeon HM, Lee SY, Ju MK, Park HG, Kang HS. Early growth response 1 induces epithelial-to-mesenchymal transition via Snail. *Journal of Life Science*. 2013;23:970-7.
5. Zhadinsky NV, Zhadinsky AN [Sanogenetic and pathological aspects of wound healing process (review)]. *Ukrainian Journal of Surgery*. 2010;2:158-62. Russian.
6. Wrighton KH. Wound healing: ESCRTs help repair membranes. *Nature Reviews Molecular Cell Biology*. 2014;15:151.
7. Guarino M, Tosoni A, Nebuloni M. Direct contribution epithelium to organ fibrosis: epithelial-mesenchymal transition. *Hum Pathol*. 2009;10:1365-76.
8. Savagner P. The epithelial-mesenchymal transition (EMT) phenomenon. *Ann Oncol*. 2010;21:89-92.
9. Zhang J, Tian XJ, Zhang H, Teng Y, Li R, Bai F, Elankumaran S, Xing J. TGF-beta-induced epithelial-to-mesenchymal transition proceeds through stepwise activation of multiple feedback loop. *Sc. Signal*. 2014;7(345):91-5.
10. Cannito S, Novo E, Valfrè di Bonzo L, Busletta C, Colombatto S, Parola M. Epithelial–mesenchymal transition: from molecular mechanisms, redox regulation to implications in human health and disease. *Antioxidants & Redox Signaling*. 2010;12(12):1383-430.