

**O.O.Tymoshenko**

Sumy State University

**Key words:**

striated muscle, heavy metals salts, rats.

*Received: 09.11.2015*

*Accepted: 14.12.2015*

UDC 577.128:611.72.084:[546.81+546.711+546.56]-38

**CHANGES OF THE CHEMICAL COMPOSITION AND STRUCTURE OF STRIATED MUSCLES IN RATS UNDER THE INFLUENCE OF LEAD, MANGANESE AND COOPER SALTS COMBINATIONS**

*The study was performed as a part of research work "Patterns of age and constitutional morphological transformations of internal organs and skeletal system in conditions of exposure to endo- and exogenous factors and ways for their correction" (state registration number 0113U001347).*

**ABSTRACT. Background.** Heavy metals are dangerous in terms of their toxicity and prevalence in numerous countries. But now there is almost no data about changes in striated muscles in response to the toxic effects of a metal salts combination after their entrance to the body through the gastrointestinal tract. **Objective.** To determine the morphological features and dynamics of the changes in chemical composition of striated muscles under the influence of heavy metal salts combinations. **Methods.** The experiment was performed on 36 white Wistar rats. Animals were subdivided into experimental and control group (18 rats in each). Within 90 days the beings of experimental group were given drinking water with added  $MnSO_4 \times 5H_2O$  (5 mg/l),  $Pb(NO_3)_2$  (3 mg/l) and  $CuSO_4$  (20 mg/l). The content of Cu, Zn, Pb, Fe, Mn, Cr was determined; some morphometric parameters: diameter of muscle fibers (DMF), width of endomysium (WE), width of perimysium (WP), surface area of nucleus (SN), surface area of mitochondria (SM), the volume of nucleus (VN), the volume of mitochondria (VM) were estimated. **Results.** Three months of intoxication led to increase of DMF on 10,17% ( $p < 0,05$ ), WE – on 20,99% ( $p < 0,001$ ), WP – on 14,31% ( $p < 0,001$ ), SN – on 12,54 % ( $p < 0,001$ ), SM – on 14,46% ( $p < 0,001$ ), VN and VM – on 19,34% ( $p < 0,001$ ) and 19,68% ( $p < 0,001$ ) respectively. Chemical analysis of skeletal muscles revealed an increase of copper content on 26,14% ( $p < 0,001$ ), lead – on 31,79% ( $p < 0,001$ ), manganese – on 15,26% ( $p < 0,001$ ). Index of iron have decreased on 5,82% ( $p < 0,05$ ), the level of zinc – on 6,1% ( $p < 0,05$ ). **Conclusion.** The influence of copper salts, lead and manganese on striated muscles induces the activation of sclerotic processes. In addition, the heavy metal intoxication is manifested by the signs of swelling, deformation and structural disorganization of functional parts of the myofibril. Chemical and analytical study of the skeletal muscles showed a progressive reduction of iron and zinc, along with the rapid accumulation of drinking metal ions and salts.

© O.O.Tymoshenko, 2015

✉ [alenmaksimova@ukr.net](mailto:alenmaksimova@ukr.net)

**Citation:**

Tymoshenko OO. [Changes of the chemical composition and structure of striated muscles in rats under the influence of lead, manganese and copper salts combinations]. *Morphologia*. 2015;9(4):85-90. Ukrainian.




Fig. 1. Longitudinal section through the striated muscle of senile rat from the control group (A); after 1 month of experiment (B); after 2 months of experiment (C); after 3 months of experiment (D). Explained in text. Hematoxylin&Eosin staining.




Fig. 2. Ultrastructure of the striated muscle of senile rat from the control group (A); after 1 month of experiment (B); after 2 months of experiment (C); after 3 months of experiment (D).

### *References*

1. Kan H. Environment and health in china: challenges and opportunities. *Environ Health Perspect.* 2009 Dec;117(12):A530-1. doi: 10.1289/ehp.0901615.
2. Fuhrmann S, Stalder M, Winkler MS, Niwagaba CB, Babu M, Masaba G, Kabatereine NB, Halage AA, Schneeberger PH, Utzinger J, Ciss? G. Microbial and chemical contamination of water, sediment and soil in the Nakivubo wetland area in Kampala, Uganda. *Environ Monit Assess.* 2015 Jul;187(7):475. doi: 10.1007/s10661-015-4689-x.
3. Wu Q, Leung JY, Geng X, Chen S, Huang X, Li H, Huang Z, Zhu L, Chen J, Lu Y. Heavy metal contamination of soil and water in the vicinity of an abandoned e-waste recycling site: implications for dissemination of heavy metals. *Sci Total Environ.* 2015 Feb 15;506-507:217-25. doi: 10.1016/j.scitotenv.2014.10.121.

4. Volk HE, Lurmann F, Penfold B, Hertz-Picciotto I, McConnell R. Traffic-related air pollution, particulate matter, and autism. *JAMA Psychiatry*. 2013 Jan;70(1):71-7. doi: 10.1001/jamapsychiatry.2013.266.
5. Solomon PA. Air pollution and health: bridging the gap from sources to health outcomes. *Environ Health Perspect*. 2011 Apr; 119(4): 156-7. doi: 10.1289/ehp.1103660.
6. Krommer V, Zechmeister HG, Roder I, Scharf S, Hanus-Ilmar A. Monitoring atmospheric pollutants in the biosphere reserve Wienerwald by a combined approach of biomonitoring methods and technical measurements. *Chemosphere*. 2007 May;67(10):1956-66.
7. Benedetti M, Giuliani ME, Regoli F. Oxidative metabolism of chemical pollutants in marine organisms: molecular and biochemical biomarkers in environmental toxicology. *Ann N Y Acad Sci*. 2015 Mar;1340:8-19. doi: 10.1111/nyas.12698.
8. Holmes AL, Wise SS, Sandwick SJ, Lingle WL, Negron VC, Thompson WD, Wise JP Sr. Chronic exposure to lead chromate causes centrosome abnormalities and aneuploidy in human lung cells. *Cancer Res*. 2006 Apr 15;66(8):4041-8.
9. Lavery TJ, Kemper CM, Sanderson K, Schultz CG, Coyle P, Mitchell JG, Seuront L. Heavy metal toxicity of kidney and bone tissues in South Australian adult bottlenose dolphins (*Tursiops aduncus*). *Mar Environ Res*. 2009 Feb;67(1):1-7. doi: 10.1016/j.marenvres.2008.09.005.
10. Fernandez R, Ariza M, Iscar M, Martinez C, Rubinos G, Gagatek S, Montoliu MA, Casan P. Impact of environmental air pollutants on disease control in asmathic patients. *Lung*. 2015 Apr;193(2):195-8. doi: 10.1007/s00408-015-9695-9.
11. Chin-Chan M, Navarro-Yepes J, Quintanilla-Vega B. Environmental pollutants as risk factors for neurodegenerative disorders: Alzheimer and Parkinson diseases. *Front Cell Neurosci*. 2015 Apr 10;9:124. doi: 10.3389/fncel.2015.00124.
12. Tchounwou PB, Yedjou CG, Patlolla AK, Sutton DJ. Heavy metal toxicity and the environment. *EXS*. 2012;101:133-64. doi: 10.1007/978-3-7643-8340-4\_6.
13. Rana SV. Perspectives in endocrine toxicity of heavy metals - a review. *Biol Trace Elem Res*. 2014 Jul;160(1):1-14. doi: 10.1007/s12011-014-0023-7.
14. Gilani SR, Zaidi SR, Batool M, Bhatti AA, Durrani AI, Mahmood Z. Report: Central nervous system (CNS) toxicity caused by metal poisoning: Brain as a target organ. *Pak J Pharm Sci*. 2015 Jul;28(4):1417-23
15. Alissa EM, Ferns GA. Heavy metal poisoning and cardiovascular disease. *J Toxicol*. 2011;2011:870125. doi: 10.1155/2011/870125.
16. Sabath E, Robles-Osorio ML. Renal health and the environment: heavy metal nephrotoxicity. *Nefrologia*. 2012 May 14;32(3):279-86. doi: 10.3265/Nefrologia.pre2012.Jan.10928.